



ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 250708 002-04
Date Reported: 07/09/2025
Date(s) Tested: 07/08/2025 - 07/09/2025

Sample Details

Product #: 102055
Description: Vivazen Original 1.9oz
Lot #: SL5178 E
Received: 7/8/2025 8:08:34 AM

Customer Information


Fortress Manufacturing LLC

Sample Details: End
method detection limit (MDL) is <0.004% w/w (or 0.022 mg/bottle for this product format)

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Botanicals and Nutraceuticals				
Mitragynine	AOAC	38 - 44	40.910	mg/56mL
7-OH mitragynine	AOAC	None Detected	0.000	mg/56mL
Physical				
Serving Size	SNL.MA.210		56.000	mL
Specific Gravity	SNL.USP.841.01		1.153	g/mL

Report Approved by:


Joel L. Nelson
Laboratory Director

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

SL5178 11:02
BB 06/27

PART# 102055

Vivazen Original Shot 1.9
fl oz

LOT: SL5178

BB 06/27

E

TEST SAMPLES - RETAINS

BEGINNING

MIDDLE

END