



ISO/IEC 17025:2017  
PJLA Accreditation #: 75696  
Accreditation Field: Testing  
lab@summitnutritional.com

Report Number: 250709 002-02  
Date Reported: 07/11/2025  
Date(s) Tested: 07/09/2025 - 07/11/2025

#### Sample Details

Product #: 102055  
Description: Vivazen Original 1.9oz  
Lot #: SL5178-1 B  
Received: 7/9/2025 8:30:05 AM

#### Customer Information

Fortress Manufacturing LLC

Sample Details: Beginning

Method detection limit (MDL) is <0.004% w/w (or 0.022 mg/bottle for this product format).

### Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
<b>Botanicals and Nutraceuticals</b>				
Mitragynine	AOAC	38 - 44	38.692	mg/56mL
7-OH mitragynine	AOAC	None Detected	0.000	mg/56mL
<b>Physical</b>				
Serving Size	SNL.MA.210		56.000	mL
Specific Gravity	SNL.USP.841.01		1.149	g/mL

Report Approved by:

Joel L. Nelson  
Laboratory Director

\*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

SL5178-1 07:00  
BB 06/27



PART# 102055

Vivazen Original Shot  
1.9 fl oz

LOT: SL5178-1

BB 06/27

TEST SAMPLES

- RETAINS

BEGINNING

MIDDLE

END