



ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 250926 021-01.138
Date Reported: 09/30/2025
Date(s) Tested: 09/26/2025 - 09/30/2025

Sample Details

Product #: 102632
Description: VivaZen Extra Strength
Lot #: ECS5268X Bulk
Received: 9/26/2025 12:37:15 PM

Customer Information

Fortress Manufacturing LLC
328-1231 Pacific Blvd
Vancouver, British Columbia V6Z0E2

Sample Details: Method Detection Limit (MDL) is <0.004% w/w (or <0.022 mg/bottle)

Certificate of Analysis

| Chemistry | Method | Specifications | Result | Units |
|--------------------------------------|----------------|----------------|---------------|---------|
| Botanicals and Nutraceuticals | | | | |
| Mitragynine | AOAC 2017.14 | 76 - 88 | 76.188 | mg/56mL |
| 7-OH mitragynine | AOAC 2017.14 | None Detected | None Detected | mg/56mL |
| Physical | | | | |
| Serving Size | SNL.MA.210 | | 56.000 | mL |
| Specific Gravity | SNL.USP.841.01 | | 1.118 | g/mL |

Report Approved by:

Joel L. Nelson
Laboratory Director

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.