



ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 251002 013-01
Date Reported: 10/06/2025
Date(s) Tested: 10/02/2025 - 10/06/2025

Sample Details

Product #: 102051
Description: Bulk-Vivazen Original (4.0-4.4%) 140
Lot #: SL5274
Received: 10/2/2025 9:14:02 AM

Customer Information

Segment Consulting Mgmt, LTD

Sample Details: Method Detection Limit (MDL) is <0.004% w/w (or 0.022 mg/bottle)

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Botanicals and Nutraceuticals				
Mitragynine	AOAC 2017.14	38 - 44	40.217	mg/56mL
7-OH mitragynine	AOAC 2017.14	None Detected	None Detected	mg/56mL
Heavy Metals				
Arsenic	USP <2232>	< 0.308	0.002	ppm
Cadmium	USP <2232>	< 0.126	< 0.001	ppm
Lead	USP <2232>	< 0.015	< 0.001	ppm
Mercury	USP <2232>	< 0.062	< 0.001	ppm
Physical				
Serving Size	SNL.MA.210		56.000	mL
Specific Gravity	SNL.USP.841.01		1.149	g/mL

Report Approved by:

Joel L. Nelson
Laboratory Director

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.