



ISO/IEC 17025:2017  
PJLA Accreditation #: 75696  
Accreditation Field: Testing  
lab@summitnutritional.com

Report Number: 251007 014-01  
Date Reported: 10/13/2025  
Date(s) Tested: 10/07/2025 - 10/13/2025

#### Sample Details

Product #: ZEN749325  
Description: Viva Zen Original FGR ZEN49325  
Lot #: 100225SF21  
Received: 10/7/2025 10:52:13 AM

#### Customer Information

Segment Consulting Mgmt  
1021012 Beach Ave  
Vancouver, CA V6E1T7

Sample Details: Method Detection Limit (MDL) is <0.004% w/w (or <0.022 mg/bottle)

### Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
<b>Heavy Metals</b>				
Arsenic	USP <2232>	< 0.308	0.003	ppm
Cadmium	USP <2232>	< 0.126	< 0.001	ppm
Lead	USP <2232>	< 0.015	< 0.001	ppm
Mercury	USP <2232>	< 0.062	< 0.001	ppm

Report Approved by:

Joel L. Nelson  
Laboratory Director

\*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.