



ISO/IEC 17025:2017  
PJLA Accreditation #: 75696  
Accreditation Field: Testing  
lab@summitnutritional.com

Report Number: 251017 002-03  
Date Reported: 10/22/2025  
Date(s) Tested: 10/17/2025 - 10/22/2025

#### Sample Details

Product #: 104123  
Description: VivaZen Strong Relief shot 2 OZ  
Lot #: SL5287ST-1  
Received: 10/17/2025 7:56:06 AM

#### Customer Information

Fortress Manufacturing LLC

Sample Details:

### Certificate of Analysis

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified	< 10000	<10	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 100	<10	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified	< 1000	<10	cfu/g

Report Approved by:

Joel L. Nelson  
Laboratory Director

\*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.