



ISO/IEC 17025:2017  
PJLA Accreditation #: 75696  
Accreditation Field: Testing  
lab@summitnutritional.com

Report Number: 251031 032-01  
Date Reported: 11/04/2025  
Date(s) Tested: 10/31/2025 - 11/04/2025

#### Sample Details

Product #: 104123  
Description: VivaZen Strong Relief shot 2 OZ  
Lot #: ECS5296XX  
Received: 10/31/2025 1:27:09 PM

#### Customer Information

Fortress Manufacturing LLC

Sample Details: Method Detection Limit (MDL) is <0.004% w/w (or <0.022 mg/bottle)

### Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
<b>Botanicals and Nutraceuticals</b>				
Mitragynine	AOAC 2017.14	78 - 88	78.731	mg/56mL
7-OH mitragynine	AOAC 2017.14	None Detected	0.000	mg/56mL
<b>Physical</b>				
Serving Size	SNL.MA.210		56.000	mL
Specific Gravity	SNL.USP.841.01		1.148	g/mL

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified	< 10000	<100	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 10	<10	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/100g
Salmonella spp.	PCR	None Detected	None Detected	cfu/100g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/100g
Yeasts & Molds	AOAC Modified	< 1000	<100	cfu/g
Pseudomonas aeruginosa	USP <62>	None Detected	None Detected	cfu/10g

Report Approved by:

Joel L. Nelson  
Laboratory Director

\*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.