



ISO/IEC 17025:2017
 PJLA Accreditation #: 75696
 Accreditation Field: Testing
 lab@summitnutritional.com

Report Number: 250709 002-06
 Date Reported: 07/11/2025
 Date(s) Tested: 07/09/2025 - 07/11/2025

Sample Details

Product #: 102055
 Description: Vivazen Original 1.9oz
 Lot #: SL5182 E
 Received: 7/9/2025 8:30:05 AM

Customer Information

Fortress Manufacturing LLC

Sample Details: End

Method detection limit (MDL) is <0.004% w/w (or 0.022 mg/bottle for this product format).

Certificate of Analysis

| Chemistry | Method | Specifications | Result | Units |
|--------------------------------------|----------------|----------------|--------|---------|
| Botanicals and Nutraceuticals | | | | |
| Mitragynine | AOAC | 38 - 44 | 40.337 | mg/56mL |
| 7-OH mitragynine | AOAC | None Detected | 0.000 | mg/56mL |
| Physical | | | | |
| Serving Size | SNL.MA.210 | | 56.000 | mL |
| Specific Gravity | SNL.USP.841.01 | | 1.149 | g/mL |

Report Approved by: Joel L. Nelson
 Joel L. Nelson
 Laboratory Director

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

915182 12:52
BB 07:27

PART# 102055

Vivazen Original Shot
1.9 fl oz

LOT: SL5182

BB 07/27

TEST SAMPLES - RETAINS

BEGINNING MIDDLE END